

TCC903C CYYZ-KMSP (30-Mar-2024) #1

[PLANNING NOTAMS]

ORIGIN: CYYZ/YYZ (LESTER B PEARSON INTL, CANADA)

UTC -04:00

S7121/24/CYYZ

RSC 05 6/6/6 DRY, DRY, DRY. VALID MAR 30 0902 - MAR 30 1702.

RSC 23 6/6/6 DRY, DRY, DRY. VALID MAR 30 0902 - MAR 30 1702.

RSC 06L 6/6/6 DRY, DRY, DRY. VALID MAR 30 0901 - MAR 30 1701.

RSC 24R 6/6/6 DRY, DRY, DRY. VALID MAR 30 0901 - MAR 30 1701.

RSC 06R 6/6/6 DRY, DRY, DRY. VALID MAR 30 0901 - MAR 30 1701.

RSC 24L 6/6/6 DRY, DRY, DRY. VALID MAR 30 0901 - MAR 30 1701.

RSC 15L 6/6/6 DRY, DRY, DRY. VALID MAR 30 0901 - MAR 30 1701.

RSC 33R 6/6/6 DRY, DRY, DRY. VALID MAR 30 0901 - MAR 30 1701.

RSC 15R 6/6/6 DRY, DRY, DRY. VALID MAR 30 0901 - MAR 30 1701.

RSC 33L 6/6/6 DRY, DRY, DRY. VALID MAR 30 0901 - MAR 30 1701.

ADDN NON-GRF/TALPA INFO:

(30-MAR-2024 09:05 - 30-MAR-2024 17:05. CREATED 30-MAR-2024 09:05)

D0556/24/CYYZ

RWY 15L/33R CLSD.

DAILY 0401-1000

(01-APR-2024 04:01 - 02-APR-2024 10:00. CREATED 30-MAR-2024 03:15)

D0555/24/CYYZ

TWY D BTN TWY DQ AND TWY DT NOT AUTH TO ACFT WITH WINGSPAN

GREATER THAN 118FT

(31-MAR-2024 04:01 - 31-MAR-2024 09:00. CREATED 29-MAR-2024 04:13)

D0534/24/CYYZ

TAXILANE 10 NOT AUTH TO ACFT WITH WINGSPAN

GREATER THAN 118FT

(25-MAR-2024 22:00 - 16-MAY-2024 04:00. CREATED 25-MAR-2024 21:48)

D0503/24/CYYZ

TRIGGER NOTAM - AIP SUPPLEMENT 14/24

WEF 15 APR 2024 UNTIL 31 OCT 2024.

AERODROME CONSTRUCTION

(15-APR-2024 00:00 - 31-OCT-2024 23:59. CREATED 21-MAR-2024 12:11)

D0421/24/CYYZ

TRIGGER NOTAM - AIP SUPPLEMENT 12/24 IN EFFECT UNTIL 16 MAY

2024. NEW TAXIWAY - CYYZ

(07-MAR-2024 12:45 - 16-MAY-2024 09:01 EST. CREATED 07-MAR-2024 12:45)

D0253/24/CYYZ

REDUCED VIS PROC TWY D4 AND D5 SOUTH OF RWY 06L/24R NOT AUTH

WHEN RVR LESS THAN 2600FT

TCC903C CYYZ-KMSP (30-Mar-2024) #1

(08-FEB-2024 16:14 - 08-MAY-2024 12:00. CREATED 08-FEB-2024 16:14)

D0241/24/CYYZ

OPR TRIAL OF NEW ANGLED RWY HOLD POSITION IN EFFECT ON TWY D4 AND TWY D5, SOUTH OF RWY 06L/24R, REFER TO AIC 15/21
(07-FEB-2024 12:06 - 07-MAY-2024 23:00 EST. CREATED 07-FEB-2024 12:06)

D0219/24/CYYZ

LOW VIS PROC TWY D6 NOT AUTH WHEN RVR LESS THAN 1200FT
(05-FEB-2024 09:41 - 01-MAY-2024 15:00. CREATED 05-FEB-2024 09:41)

D0113/24/CYYZ

PAPI 06L U/S
(20-JAN-2024 05:00 - 17-APR-2024 20:00. CREATED 20-JAN-2024 05:00)

D0041/24/CYYZ

TWY CENTERLINE LOW VIS ROUTES STRAIGHT SECTIONS ONLY MIXED TECHNOLOGY (INCANDESCENT AND LED)
(11-JAN-2024 01:01 - 10-APR-2024 22:00 EST. CREATED 11-JAN-2024 01:01)

D0034/24/CYYZ

INFIELD CONCOURSE (IFC) EAST/WEST TAXILANE BTN APN ENTRANCE OF TWY FA AND TWY EY NOT AVBL TO ACFT WITH WINGSPAN GREATER THAN 225FT
(09-JAN-2024 16:13 - 09-APR-2024 20:00. CREATED 09-JAN-2024 16:13)

D0018/24/CYYZ

PAPI 24R U/S
(06-JAN-2024 06:00 - 02-APR-2024 17:00. CREATED 06-JAN-2024 05:18)

D0013/24/CYYZ

LAST 1595FT RWY 15L NOT AVBL FOR TKOF AND LDG RWY 15L.
ADVISE ATC IF FULL LENGTH REQUIRED AS PER PUB DECLARED DIST IN CAP
FOR DEP CTC ATC ON CLR DELIVERY. FOR ARR CTC YYZ TERMINAL.
DECLARED DIST:
RWY 15L TORA 9291 TODA 9291 ASDA 9291 LDA 9291
(03-JAN-2024 21:11 - 02-APR-2024 17:00. CREATED 03-JAN-2024 21:12)

DESTINATION: KMSP/MSP (MINNEAPOLIS-ST PAUL INTL/WOLD-, UNITED STATE UTC -05:00)

03/701/KMSP

MSP TWY ALL FICON PATCHY WET OBS AT 2403300730.
(30-MAR-2024 08:02 - 31-MAR-2024 08:02. CREATED 30-MAR-2024 08:02)

03/700/KMSP

MSP APRON DEICE PAD FOR RWY 12L, DEICE PAD FOR RWY 12R, DEICE PAD FOR RWY 17, DEICE PAD FOR RWY 30L, DEICE PAD FOR RWY 30R, HUMPHREY REMOTE APN NORTH FICON PATCHY WET OBS AT 2403300730.
(30-MAR-2024 08:01 - 31-MAR-2024 08:01. CREATED 30-MAR-2024 08:01)

03/698/KMSP

MSP RWY 12L/30R RCLL NOT STD
(30-MAR-2024 05:40 - 30-APR-2024 21:00. CREATED 30-MAR-2024 05:40)

M0036/24/KMSP

AIR FORCE RESERVE RAMP CLSD

TCC903C CYYZ-KMSP (30-Mar-2024) #1

(01-APR-2024 23:00 - 02-APR-2024 03:00. CREATED 29-MAR-2024 16:58)

03/695/KMSP

MSP RWY 04/22 CLSD EXC TAX 30MIN PPR

(29-MAR-2024 16:47 - 24-JUN-2024 23:00. CREATED 29-MAR-2024 16:47)

03/689/KMSP

MSP NAV ILS RWY 12L U/S

(02-APR-2024 13:00 - 02-APR-2024 18:00. CREATED 28-MAR-2024 23:50)

03/688/KMSP

MSP NAV ILS RWY 30R U/S

(02-APR-2024 13:00 - 02-APR-2024 18:00. CREATED 28-MAR-2024 23:50)

M0035/24/KMSP

AIR FORCE RESERVE RAMP CAUTION: 5 FOOT SNOW BERMS BETWEEN TAXIWAY FEEDERS R3-R7 AND EAST OF SPOT 2A

(28-MAR-2024 15:33 - 04-APR-2024 21:00. CREATED 28-MAR-2024 15:33)

03/665/KMSP

MSP TWY D EDGE LGT BTN TWY C1 AND TWY C2 NOT STD

(28-MAR-2024 06:54 - 28-JUN-2024 23:59. CREATED 28-MAR-2024 06:54)

03/646/KMSP

MSP SVC MBST/WS DETECTION SYSTEM NOT AVBL

(03-APR-2024 13:00 - 03-APR-2024 20:00. CREATED 27-MAR-2024 13:00)

03/570/KMSP

MSP SVC MBST/WS DETECTION SYSTEM NOT AVBL

(02-APR-2024 13:00 - 02-APR-2024 20:00. CREATED 26-MAR-2024 13:00)

03/548/KMSP

MSP TWY Z EDGE LGT BTN TWY K AND TWY W NOT STD

(26-MAR-2024 07:12 - 09-APR-2024 23:59. CREATED 26-MAR-2024 07:12)

03/207/KMSP

MSP TWY P3 CL MARKINGS FOR RWY 12L/30R OBSC

(21-MAR-2024 22:02 - 31-MAY-2024 22:00. CREATED 21-MAR-2024 22:02)

4/3853/KMSP

MSP SID MINNEAPOLIS-ST PAUL

INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.

ZMBRO SEVEN DEPARTURE...

CHANGE TOP ALTITUDE TO READ "ASSIGNED BY ATC".

CHANGE DEPARTURE ROUTE DESCRIPTION TO READ: TAKEOFF ALL RWYS: CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO INTERCEPT MSP R-138, THEN ON DEPICTED ROUTE TO ZEMBRO, THEN ON TRANSITION. MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

ALL AIRCRAFT: ATC CROSSING RESTRICTIONS AND CLIMB GRADIENTS: IF UNABLE TO ACCEPT CROSSING RESTRICTIONS AND CLIMB RATES ADVISE ATC PRIOR TO TAXI.

RWY 12L/R: FOR ASSIGNED HEADINGS FROM 060 CW TO 100, CROSS MSP 7 DME ARC AT OR ABOVE 3500, RWY 12L: 540 FT/NM TO 3500, 12R: 542 FT/NM TO 3500.

RWY 17: FOR ASSIGNED HEADINGS FROM 230 CW TO 285, CROSS MSP 7 DME ARC AT OR ABOVE 3500, 512 FT/NM TO 3500.

RWYS 30L/R: FOR ASSIGNED HEADINGS FROM 220 CW TO 360, CROSS MSP 7

TCC903C CYYZ-KMSP (30-Mar-2024) #1

DME ARC AT OR ABOVE 3500, 380 FT/NM TO 3500.
DISREGARD CHART NOTE: NON-DME AIRCRAFT RWYS 12L/R (FOR ASSIGNED
060° CW 100°).
(06-MAR-2024 19:11 - 06-MAR-2026 19:11 EST. CREATED 06-MAR-2024 19:12)

4/3851/KMSP

MSP SID MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
WLSTN SEVEN DEPARTURE...
CHANGE TOP ALTITUDE TO READ "ASSIGNED BY ATC".
CHANGE DEPARTURE ROUTE DESCRIPTION TO READ: TAKEOFF ALL RWYS: CLIMB
ON ASSIGNED HEADING FOR RADAR VECTORS TO INTERCEPT GEP R-072, THEN
ON DEPICTED ROUTE TO WLSTN, THEN ON TRANSITION. MAINTAIN ATC
ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER
DEPARTURE.
ALL AIRCRAFT: ATC CROSSING RESTRICTIONS AND CLIMB GRADIENTS: IF
UNABLE TO ACCEPT CROSSING RESTRICTIONS AND CLIMB RATES ADVISE ATC
PRIOR TO TAXI.
RWY 12L/R: FOR ASSIGNED HEADINGS FROM 060 CW TO 100, CROSS MSP 7
DME ARC AT OR ABOVE 3500, RWY 12L: 540 FT/NM TO 3500, 12R: 542
FT/NM TO 3500.
RWY 17: FOR ASSIGNED HEADINGS FROM 230 CW TO 285, CROSS MSP 7 DME
ARC AT OR ABOVE 3500, 512 FT/NM TO 3500.
RWYS 30L/R: FOR ASSIGNED HEADINGS FROM 220 CW TO 360, CROSS MSP 7
DME ARC AT OR ABOVE 3500, 380 FT/NM TO 3500.
DISREGARD CHART NOTE: NON-DME AIRCRAFT RWYS 12L/R (FOR ASSIGNED
060° CW 100°).
CHART: MRA AT OR ABOVE 9000 FT AT DWIYT.
CHART: MRA AT OR ABOVE 12000 FT AT WLSTN.
(06-MAR-2024 19:11 - 06-MAR-2026 19:11 EST. CREATED 06-MAR-2024 19:12)

4/3849/KMSP

MSP SID MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
SMERF SEVEN DEPARTURE (RNAV)...
CHANGE TOP ALTITUDE TO READ "ASSIGNED BY ATC".
CHANGE DEPARTURE ROUTE DESCRIPTION TO READ: TAKEOFF RWY 4: CLIMB
ON HEADING 045 DEGREES TO 2100, FOR VECTORS TO CROSS ZOGAP AT OR
ABOVE 5000, THENCE&
TAKEOFF ALL OTHER RWYS: CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS
TO CROSS ZOGAP AT OR ABOVE 5000, THENCE&
&ON DEPICTED ROUTE TO SMERF. MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT
FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.
ALL AIRCRAFT: ATC CROSSING RESTRICTIONS AND CLIMB GRADIENTS: IF
UNABLE TO ACCEPT CROSSING RESTRICTIONS AND CLIMB RATES ADVISE ATC
PRIOR TO TAXI.
RWY 12L/R: FOR ASSIGNED HEADINGS FROM 060 CW TO 100, CROSS MSP 7
DME ARC AT OR ABOVE 3500, RWY 12L: 540 FT/NM TO 3500, 12R: 542
FT/NM TO 3500.
RWY 17: FOR ASSIGNED HEADINGS FROM 230 CW TO 285, CROSS MSP 7 DME
ARC AT OR ABOVE 3500, 512 FT/NM TO 3500.
RWYS 30L/R: FOR ASSIGNED HEADINGS FROM 220 CW TO 360, CROSS MSP 7
DME ARC AT OR ABOVE 3500, 380 FT/NM TO 3500.
2403061911-2603061911EST
(PERM. CREATED 06-MAR-2024 19:12)

4/3847/KMSP

MSP SID MINNEAPOLIS-ST PAUL

TCC903C CYYZ-KMSP (30-Mar-2024) #1

INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
ROCHESTER ONE DEPARTURE...
CHANGE TOP ALTITUDE TO READ "ASSIGNED BY ATC".
CHANGE DEPARTURE ROUTE DESCRIPTION TO READ: TAKEOFF ALL RWYS: CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO FGT VORTAC, THEN ON DEPICTED ROUTE TO RST VOR/DME, THEN ON TRANSITION. MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.
ALL AIRCRAFT: ATC CROSSING RESTRICTIONS AND CLIMB GRADIENTS: IF UNABLE TO ACCEPT CROSSING RESTRICTIONS AND CLIMB RATES ADVISE ATC PRIOR TO TAXI.
RWY 12L/R: FOR ASSIGNED HEADINGS FROM 060 CW TO 100, CROSS MSP 7 DME ARC AT OR ABOVE 3500, RWY 12L: 540 FT/NM TO 3500, 12R: 542 FT/NM TO 3500.
RWY 17: FOR ASSIGNED HEADINGS FROM 230 CW TO 285, CROSS MSP 7 DME ARC AT OR ABOVE 3500, 512 FT/NM TO 3500.
RWYS 30L/R: FOR ASSIGNED HEADINGS FROM 220 CW TO 360, CROSS MSP 7 DME ARC AT OR ABOVE 3500, 380 FT/NM TO 3500.
DISREGARD CHART NOTE: NON-DME AIRCRAFT RWYS 12L/R (FOR ASSIGNED 060° CW 100°).
(06-MAR-2024 19:11 - 06-MAR-2026 19:11 EST. CREATED 06-MAR-2024 19:12)

4/3845/KMSP

MSP SID MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
LEINY SIX DEPARTURE (RNAV)...
CHANGE TOP ALTITUDE TO READ "ASSIGNED BY ATC".
CHANGE DEPARTURE ROUTE DESCRIPTION TO READ: TAKEOFF RWY 4: CLIMB ON HEADING 045 DEGREES TO 2100, FOR VECTORS TO TONKA, THENCE& TAKEOFF ALL OTHER RWYS: CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO TONKA, THENCE&
&ON DEPICTED ROUTE TO LEINY. MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.
ALL AIRCRAFT: ATC CROSSING RESTRICTIONS AND CLIMB GRADIENTS: IF UNABLE TO ACCEPT CROSSING RESTRICTIONS AND CLIMB RATES ADVISE ATC PRIOR TO TAXI.
RWY 12L/R: FOR ASSIGNED HEADINGS FROM 060 CW TO 100, CROSS MSP 7 DME ARC AT OR ABOVE 3500, RWY 12L: 540 FT/NM TO 3500, 12R: 542 FT/NM TO 3500.
RWY 17: FOR ASSIGNED HEADINGS FROM 230 CW TO 285, CROSS MSP 7 DME ARC AT OR ABOVE 3500, 512 FT/NM TO 3500.
RWYS 30L/R: FOR ASSIGNED HEADINGS FROM 220 CW TO 360, CROSS MSP 7 DME ARC AT OR ABOVE 3500, 380 FT/NM TO 3500.
2403061911-2603061911EST
(PERM. CREATED 06-MAR-2024 19:12)

4/3842/KMSP

MSP SID MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
KBREW ONE DEPARTURE...
CHANGE DEPARTURE ROUTE DESCRIPTION TO READ: TAKEOFF ALL RWYS: CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO GEP VORTAC THEN ON DEPICTED ROUTE TO KBREW, THEN ON TRANSITION. MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.
ALL AIRCRAFT: ATC CROSSING RESTRICTIONS AND CLIMB GRADIENTS: IF UNABLE TO ACCEPT CROSSING RESTRICTIONS AND CLIMB RATES ADVISE ATC PRIOR TO TAXI.
RWY 12L/R: FOR ASSIGNED HEADINGS FROM 060 CW TO 100, CROSS MSP 7

TCC903C CYYZ-KMSP (30-Mar-2024) #1

DME ARC AT OR ABOVE 3500, RWY 12L: 540 FT/NM TO 3500, 12R: 542 FT/NM TO 3500.

RWY 17: FOR ASSIGNED HEADINGS FROM 230 CW TO 285, CROSS MSP 7 DME ARC AT OR ABOVE 3500, 512 FT/NM TO 3500.

RWYS 30L/R: FOR ASSIGNED HEADINGS FROM 220 CW TO 360, CROSS MSP 7 DME ARC AT OR ABOVE 3500, 380 FT/NM TO 3500.

DISREGARD CHART NOTE: NON-DME AIRCRAFT RWYS 12L/R (FOR ASSIGNED 060° CW 100°).

(06-MAR-2024 19:11 - 06-MAR-2026 19:11 EST. CREATED 06-MAR-2024 19:12)

4/3839/KMSP

MSP SID MINNEAPOLIS-ST PAUL

INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.

DARWIN EIGHT DEPARTURE...

CHANGE TOP ALTITUDE TO READ "ASSIGNED BY ATC".

CHANGE DEPARTURE ROUTE DESCRIPTION TO READ: TAKEOFF ALL RWYS:

CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO INTERCEPT MSP R-281 THEN ON DEPICTED ROUTE TO DWN VORTAC, THEN ON TRANSITION. MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

ALL AIRCRAFT: ATC CROSSING RESTRICTIONS AND CLIMB GRADIENTS: IF UNABLE TO ACCEPT CROSSING RESTRICTIONS AND CLIMB RATES ADVISE ATC PRIOR TO TAXI.

RWY 12L/R: FOR ASSIGNED HEADINGS FROM 060 CW TO 100, CROSS MSP 7 DME ARC AT OR ABOVE 3500, RWY 12L: 540 FT/NM TO 3500, 12R: 542 FT/NM TO 3500.

RWY 17: FOR ASSIGNED HEADINGS FROM 230 CW TO 285, CROSS MSP 7 DME ARC AT OR ABOVE 3500, 512 FT/NM TO 3500.

RWYS 30L/R: FOR ASSIGNED HEADINGS FROM 220 CW TO 360, CROSS MSP 7 DME ARC AT OR ABOVE 3500, 380 FT/NM TO 3500.

DISREGARD CHART NOTE: NON-DME AIRCRAFT RWYS 12L/R (FOR ASSIGNED 060° CW 100°).

(06-MAR-2024 19:11 - 06-MAR-2026 19:11 EST. CREATED 06-MAR-2024 19:12)

4/3835/KMSP

MSP SID MINNEAPOLIS-ST PAUL

INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.

COULT SEVEN DEPARTURE...

CHANGE TOP ALTITUDE TO READ "ASSIGNED BY ATC".

CHANGE DEPARTURE ROUTE DESCRIPTION TO READ: TAKEOFF ALL RWYS: CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO INTERCEPT GEP R-119, THEN ON DEPICTED ROUTE TO COULT, THEN ON TRANSITION. MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

ALL AIRCRAFT: ATC CROSSING RESTRICTIONS AND CLIMB GRADIENTS: IF UNABLE TO ACCEPT CROSSING RESTRICTIONS AND CLIMB RATES ADVISE ATC PRIOR TO TAXI.

RWY 12L/R: FOR ASSIGNED HEADINGS FROM 060 CW TO 100, CROSS MSP 7 DME ARC AT OR ABOVE 3500, RWY 12L: 540 FT/NM TO 3500, 12R: 542 FT/NM TO 3500.

RWY 17: FOR ASSIGNED HEADINGS FROM 230 CW TO 285, CROSS MSP 7 DME ARC AT OR ABOVE 3500, 512 FT/NM TO 3500.

RWYS 30L/R: FOR ASSIGNED HEADINGS FROM 220 CW TO 360, CROSS MSP 7 DME ARC AT OR ABOVE 3500, 380 FT/NM TO 3500.

DISREGARD CHART NOTE: NON-DME AIRCRAFT RWYS 12L/R (FOR ASSIGNED 060° CW 100°).

(06-MAR-2024 19:11 - 06-MAR-2026 19:11 EST. CREATED 06-MAR-2024 19:11)

TCC903C CYYZ-KMSP (30-Mar-2024) #1

03/061/KMSP

MSP TWY A3 CL MARKINGS FOR RWY 12R/30L OBSC
(05-MAR-2024 20:55 - 05-JUN-2024 23:00. CREATED 05-MAR-2024 20:55)

M0027/24/KMSP

AIR FORCE RESERVE RAMP OBS LIGHT WEST OF BLDG 870 ON FENCE INOP
(03-MAR-2024 14:21 - 13-APR-2024 04:00. CREATED 03-MAR-2024 14:21)

02/469/KMSP

MSP RWY 12R/30L SAFETY AREA NOT STD 3IN LIP AT RWY 30L PAPI
(26-FEB-2024 20:12 - 12-APR-2024 19:00. CREATED 26-FEB-2024 20:12)

02/073/KMSP

MSP RWY 17/35 CLSD TO FOUR ENG ACFT EXC WINGSPAN LESS THAN 133FT
(06-FEB-2024 22:34 - 06-MAY-2024 18:00. CREATED 06-FEB-2024 22:34)

02/011/KMSP

MSP OBST TOWER LGT (ASR 1025246) 445728.00N0931223.00W (4.6NM NE MSP)
1289.4FT (444.9FT AGL) U/S
(01-FEB-2024 14:38 - 01-MAY-2024 23:59. CREATED 01-FEB-2024 14:38)

3/8423/KMSP

MSP IAP MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
ILS RWY 12L (SA CAT I), AMDT 11 ...
ILS RWY 12R (SA CAT I), AMDT 12 ...
ILS RWY 35 (SA CAT I), AMDT 5 ...
ILS RWY 30L (CAT II), AMDT 47 ...
ILS RWY 12L (CAT II - III), AMDT 11 ...
ILS RWY 12R (CAT II - III), AMDT 12 ...
ILS RWY 35 (CAT II - III), AMDT 5 ...
PROCEDURE NA EXC FOR RDO ALTIMETER TOLERANT ACFT AND ACFT USING
APPROVED ALTERNATIVE METHODS OF COMPLIANCE DUE TO 5G C-BAND
INTERFERENCE PLUS SEE AIRWORTHINESS DIRECTIVE 2023-10-02 AND 5G
C-BAND DOMESTIC NOTICES.
(29-JUN-2023 02:01 - 29-JUN-2025 01:51 EST. CREATED 29-JUN-2023 01:51)

2/1375/KMSP

MSP ODP MINNEAPOLIS-ST PAUL
INTL/WOLD-CHAMBERLAIN, MINNEAPOLIS, MN.
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 12...
RWY 12L, 300-1 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 277 FT PER
NM TO 1100, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A
NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER
THAN 1300 FT PRIOR TO DER. ADD TAKEOFF OBSTACLE NOTE: RWY 12L,
TRANSMISSION LINE 1 NM FROM DER, 1818' LEFT OF CENTERLINE, 77'
AGL/832' MSL. TREE 1.1 NM FROM DER, 1691' LEFT OF CENTERLINE, 92'
AGL/991' MSL. LIGHT POLE AND CAMERA ON WALL BEGINNING 398' FROM
DER, 561' RIGHT OF CENTERLINE, UP TO 23' AGL/832' MSL.
ALL OTHER DATA REMAINS AS PUBLISHED.
(09-MAY-2022 19:48 - 09-MAY-2024 19:48 EST. CREATED 09-MAY-2022 19:49)

ALTERNATE: KMSN/MSN (DANE CO REGL/TRUAX, UNITED STATES)

UTC -05:00

03/129/KMSN

MSN RWY 18 FICON 5/5/5 100 PCT WET OBS AT 2403300810.
(30-MAR-2024 08:10 - 31-MAR-2024 08:10. CREATED 30-MAR-2024 08:10)

TCC903C CYYZ-KMSP (30-Mar-2024) #1

03/128/KMSN

MSN RWY 21 FICON 5/5/5 100 PCT WET OBS AT 2403300810.
(30-MAR-2024 08:10 - 31-MAR-2024 08:10. CREATED 30-MAR-2024 08:10)

03/127/KMSN

MSN RWY 14 FICON 5/5/5 100 PCT WET OBS AT 2403300810.
(30-MAR-2024 08:10 - 31-MAR-2024 08:10. CREATED 30-MAR-2024 08:10)

03/121/KMSN

MSN OBST CRANE (ASN UNKNOWN) 430817N0891933W (0.131NM N APCH END RWY 32)
UNKNOWN (120FT AGL) FLAGGED AND LGTD
(01-APR-2024 13:00 - 01-APR-2024 17:00. CREATED 29-MAR-2024 03:58)

03/120/KMSN

MSN OBST CRANE (ASN UNKNOWN) 430905N0891904W (0.56NM E
APCH END RWY 21) UNKNOWN (100FT AGL) FLAGGED AND LGTD
(01-APR-2024 12:00 - 01-APR-2024 15:00. CREATED 28-MAR-2024 22:47)

03/119/KMSN

MSN NAV ILS RWY 36 U/S
(01-APR-2024 13:30 - 01-APR-2024 21:30. CREATED 28-MAR-2024 22:34)

03/118/KMSN

MSN NAV ILS RWY 18 U/S
(01-APR-2024 13:30 - 01-APR-2024 21:30. CREATED 28-MAR-2024 22:32)

M0010/24/KMSN

RWY 03 BAK-14 ARRESTING SYSTEM UNSERVICEABLE
(28-MAR-2024 17:01 - 01-JUN-2024 00:01. CREATED 28-MAR-2024 17:01)

03/115/KMSN

MSN OBST TOWER LGT (ASR 1033534) 430421.00N0892255.00W (4.5NM SSW MSN)
1127.3FT (213.3FT AGL) U/S
(28-MAR-2024 14:44 - 05-APR-2024 23:59. CREATED 28-MAR-2024 14:44)

M0009/24/KMSN

WISCONSIN AIR NTL GUARD RAMP SUNSHADES CLOSED FOR ALL AIRCRAFT
PARKING
(27-MAR-2024 14:34 - 01-JUN-2024 23:59. CREATED 27-MAR-2024 14:34)

03/036/KMSN

MSN OBST CRANE (ASN 2023-AGL-9405-OE) 430945N0891916W (1.5NM NNE MSN) 1022FT
(112FT AGL) FLAGGED AND LGTD
(14-MAR-2024 10:56 - 12-MAR-2025 23:00. CREATED 14-MAR-2024 10:57)

M0007/24/KMSN

WISCONSIN AIR NTL GUARD RAMP TWY G 50' WIDE. RESTRICTED TO
FIGHTERS ONLY.
(04-MAR-2024 19:26 - 01-JUN-2024 23:59. CREATED 04-MAR-2024 19:26)

M0006/24/KMSN

USE CAUTION FOR 25' TALL DIRT PILE LOCATED 128' E OF TWY G.
(04-MAR-2024 19:26 - 01-JUN-2024 23:59. CREATED 04-MAR-2024 19:26)

M0005/24/KMSN

AERODROME MILITARY ACFT INCLUDING ALL FIGHTERS, DEPART RWY 36 IF
ABLE. IF RWY 18 T/O IS REQUIRED, TURN HEADING 140 OR FUTHER EAST

TCC903C CYYZ-KMSP (30-Mar-2024) #1

BOUND. DO NOT FLY SOUTH THROUGH WEST OF KMSN OVER DOWNTOWN MADISON UNLESS SAFETY DICTATES OTHERWISE. IF -1 OR NATOPS ALLOWS, LAND RWY 18. NO MULTIPLE APPROACHED OR CARRIER BREAKS DUE TO NOISE. OVHD TRC PAT ALT RSTD TO 3,500' MSL. UNLESS AUTHORIZED BY TWR RWY 18/36 WEST BREAK. FBO PPR CONTACT FBO, MIL RAMP PPR EMAIL 115FW.PPR.ORG@US.AF.MIL

(04-MAR-2024 19:25 - 01-JUN-2024 23:59. CREATED 04-MAR-2024 19:25)

02/074/KMSN

MSN APRON WEST RAMP BTN GATE 10 AND GATE 12 WIP CONST LGTD AND BARRICADED

(16-FEB-2024 04:07 - 31-MAR-2024 23:59. CREATED 16-FEB-2024 04:07)

4/7914/KMSN

MSN IAP DANE COUNTY RGNL/TRUAX FLD, MADISON, WI.

ILS OR LOC RWY 21, ORIG-D...

DME OR RADAR REQUIRED EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.

DLL R-129 RADIAL UNUSABLE.

2401251501-2601251500EST

(PERM. CREATED 25-JAN-2024 15:01)

4/7732/KMSN

MSN IAP DANE COUNTY RGNL/TRUAX FLD, MADISON, WI.

ILS OR LOC RWY 21, ORIG-C...

CORRECT PLANVIEW: CHANGE TEXT TO READ (IF) DIVCE INT MSN 11.7

INSTEAD OF (IF) DIVCE INT MSN 12.1..

2401251218-2409051218EST

(PERM. CREATED 25-JAN-2024 12:18)

4/7262/KMSN

MSN IAP DANE COUNTY RGNL/TRUAX FLD, MADISON, WI.

VOR RWY 14, ORIG-F...

PROCEDURE TURN NA. RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.

2401241441-2601241441EST

(PERM. CREATED 24-JAN-2024 14:41)

3/8506/KMSN

MSN IAP DANE COUNTY RGNL/TRUAX FLD, MADISON, WI.

ILS RWY 36 (SA CAT I), AMDT 2A ...

ILS RWY 18 (SA CAT I - II), AMDT 2A ...

ILS RWY 36 (CAT II - III), AMDT 2A ...

PROCEDURE NA EXC FOR RDO ALTIMETER TOLERANT ACFT AND ACFT USING APPROVED ALTERNATIVE METHODS OF COMPLIANCE DUE TO 5G C-BAND INTERFERENCE PLUS SEE AIRWORTHINESS DIRECTIVE 2023-10-02 AND 5G C-BAND DOMESTIC NOTICES.

(29-JUN-2023 02:01 - 29-JUN-2025 01:55 EST. CREATED 29-JUN-2023 01:56)

03/133/KMSN

MSN OBST CRANE (ASN 2022-AGL-24382-OE) 431044N0891518W (4.3NM ENE MSN) 1204FT

(220FT AGL) FLAGGED AND LGTD

(15-MAR-2023 13:25 - 31-MAR-2024 23:00. CREATED 15-MAR-2023 13:25)

TCC903C CYYZ-KMSP (30-Mar-2024) #1

CYYZ (TORONTO FIR/UIR)

G0471/24/CYZ

ALL ACFT, REGARDLESS OF THE STATE OF REGISTRY, DIRECTLY OR INDIRECTLY OWNED, CHARTERED, LEASED, OPERATED OR OTHERWISE CONTROLLED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN FEDERATION OR OF BELARUS OR BY A CORPORATION OR ENTITY THAT IS INCORPORATED OR FORMED UNDER THE LAWS OF THE RUSSIAN FEDERATION OR BELARUS, AND ALL OPERATORS HOLDING AN AIR OPERATOR CERTIFICATE (AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BELARUSIAN AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERFLY CANADA'S TERRITORIAL AIRSPACE (INCLUDING FLT WITHIN 12NM OF CANADA'S COASTS). EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INFLIGHT EMERG.

ALL AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT TO THIS NOTAM ARE REVOKED.

HUMANITARIAN, SAR, MEDEVAC AND ANY OTHER FLT SEEKING AN EXCEPTION TO THIS RESTRICTION MUST RECEIVE AUTH GRANTED AFTER 27 FEB 2022 FM THE MINISTER OF TRANSPORT TO OPERATE IN CANADA'S TERRITORIAL AIRSPACE. AFFECTED ACFT WISHING TO OBTAIN SUCH AN AUTH OR CLR INTO CANADA'S TERRITORIAL AIRSPACE MAY APPLY TO THE MINISTER OF TRANSPORT AT 1-877-992-6853 OR 1-613-992-6853 OR BY EMAIL AT OPERATIONS.AVIATION(AT)TC.GC.CA.

(28-MAR-2024 16:56 - 27-JUN-2024 18:00 EST. CREATED 28-MAR-2024 16:56)

G0377/24/CYZ

LASER LGT OPS DISPLAY WILL TAKE PLACE
421637N 0830527W (APRX 6NM W CYQG AD) ,
GREEN LGT PROJECTED VERTICALLY,
POTENTIAL TO CREATE TEMPO EFFECTS TO VISION.
COCKPIT ILLUMINATION MAY OCCUR BEYOND THIS DIST

(12-MAR-2024 15:42 - 12-JUN-2024 15:00 EST. CREATED 12-MAR-2024 15:42)

G0342/24/CYZ

BUTTONVILLE AD (CYKZ) CLSD. 124.8MHZ MANDATORY FREQ (MF)
FM SFC TO 2000FT AMSL REMAINS IN EFFECT DURING AIRSPACE REVIEW

(07-MAR-2024 17:16 - 16-MAY-2024 09:00. CREATED 07-MAR-2024 17:17)

M0185/24/CYZ

BLASTING ACT WILL TAKE PLACE WITHIN
RADIUS 4NM CENTRED ON 481738N 842721W
(APRX 13NM NNE HAWK JUNCTION (WATER)AD)
SFC TO 4950FT AGL
SFC-6350FT AMSL

(08-FEB-2024 20:34 - 10-MAY-2024 20:00 EST. CREATED 08-FEB-2024 20:34)

G0150/24/CYZ

PURSUANT TO SECTION 5.1 OF THE AERONAUTICS ACT, THE AIRSPACE
WITHIN 1.0NM RADIUS CENTRED ON 435212N 784315W (DARLINGTON
NUCLEAR GENERATING STATION, APRX 8.0NM ESE OF (TORONTO/OSHAWA
EXECUTIVE AIRPORT AD (CY00)) IS RESTRICTED.

NO PERSON SHALL OPR A REMOTELY PILOTED ACFT (RPAS, DRONE) WITHIN
THE AREA DESCRIBED UNLESS AUTH BY THE OPG SENIOR MANAGER OF
INVESTIGATIONS AT 905-839-6746 EXT 4000

SFC-1000FT AMSL

(29-JAN-2024 20:24 - 28-APR-2024 23:59. CREATED 29-JAN-2024 20:24)

TCC903C CYYZ-KMSP (30-Mar-2024) #1

G0149/24/CZYZ

PURSUANT TO SECTION 5.1 OF THE AERONAUTICS ACT, THE AIRSPACE WITHIN 1.0NM RADIUS CENTRED ON 434839N 790346W (PICKERING NUCLEAR GENERATING STATION, APRX 2.5NM SW OF AJAX (PICKERING GEN HOSPITAL) (HELI)) IS RESTRICTED. NO PERSON SHALL OPR A REMOTELY PILOTED ACFT (RPAS, DRONE) WITHIN THE AREA DESCRIBED UNLESS AUTH BY THE OPG SENIOR MANAGER OF INVESTIGATIONS AT 905-839-6746 EXT 4000
SFC-1000FT AMSL
(29-JAN-2024 20:20 - 28-APR-2024 23:59. CREATED 29-JAN-2024 20:20)

G0112/24/CZYZ

TRIGGER NOTAM - AIP SUPPLEMENT 3/24 IN EFFECT.
CRANES ERECTED WITHIN 30NM OF TORONTO/LESTER B. PEARSON INTL AIRPORT
(25-JAN-2024 15:58 - 19-DEC-2024 16:00 EST. CREATED 25-JAN-2024 15:59)

G0044/24/CZYZ

AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT IN RESPONSE TO THE SECURITY SITUATION IN LEBANON. CANADIAN AIR OPERATORS AND OWNERS OF ACFT REGISTERED IN CANADA ARE ADVISED TO TAKE ALL POTENTIAL RISK INFO INTO ACCOUNT IN THEIR RISK ASSESSMENT AND ROUTING DECISIONS WHEN OPERATING IN LEBANESE AIRSPACE AND FIR BEIRUT (OLBB) DUE TO POTENTIAL RISK TO AVIATION FROM MIL ACT.
(08-JAN-2024 18:40 - 08-APR-2024 17:00 EST. CREATED 08-JAN-2024 18:40)

G0043/24/CZYZ

AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT IN RESPONSE TO THE SECURITY SITUATION IN ISRAEL. CANADIAN AIR OPR AND OWNERS OF ACFT REGISTERED IN CANADA ARE ADVISED TO TAKE ALL POTENTIAL RISK INFO INTO ACCOUNT IN THEIR RISK ASSESSMENT AND ROUTING DECISIONS WHEN OPR IN ISRAELI AIRSPACE AND FIR TEL-AVIV (LLLL) DUE TO POTENTIAL RISK TO AVIATION FROM MIL ACT.
(08-JAN-2024 18:37 - 08-APR-2024 17:00 EST. CREATED 08-JAN-2024 18:37)

G2907/23/CZYZ

TRIGGER NOTAM - AIP SUPPLEMENT 26/18 IN EFFECT. ADJUSTMENT TO THE CANADA AIR DEFENCE IDENTIFICATION ZONE (ADIZ).
(20-DEC-2023 21:42 - 19-DEC-2024 16:00 EST. CREATED 20-DEC-2023 21:43)

M3534/23/CZYZ

TRIGGER NOTAM - AIP SUPPLEMENT 23/20 IN EFFECT UNTIL 31 JAN 2025.
LASER PROJECTION IN VCY OF EGBERT, ONTARIO
(20-DEC-2023 20:42 - 19-DEC-2024 16:00 EST. CREATED 20-DEC-2023 20:42)

G2905/23/CZYZ

TRIGGER NOTAM - AIP SUPPLEMENT 56/23 IN EFFECT. VFR CHECKPOINTS ESTABLISHED AND ARR/DEP ROUTES AMENDED - KITCHENER/WATERLOO AIRPORT (CYKF)
(20-DEC-2023 19:59 - 19-DEC-2024 16:00 EST. CREATED 20-DEC-2023 19:59)

G2891/23/CZYZ

TRIGGER NOTAM - AIP SUPPLEMENT 76/23 IN EFFECT - AUTOLAND PROCEDURES NOT RECOMMENDED IN RUNWAYS NOT COVERED BY ISED'S DESIGNATED 5G EXCLUSION AND PROTECTION ZONES

TCC903C CYYZ-KMSP (30-Mar-2024) #1

(20-DEC-2023 15:29 - 19-DEC-2024 16:00 EST. CREATED 20-DEC-2023 15:29)

G2885/23/CYYZ

TRIGGER NOTAM - AIP SUPPLEMENT 34/21 IN EFFECT. MULTIPLE CRANES
ERECTED - WINDSOR, ON

(20-DEC-2023 14:38 - 19-DEC-2024 16:00 EST. CREATED 20-DEC-2023 14:38)

KZMP (MINNEAPOLIS FIR)

03/190/KZMP

ZMP AIRSPACE UNMANNED ROCKET WI AN AREA DEFINED AS 2NM RADIUS OF GEP032030.5
SFC-3000FT AGL

(30-MAR-2024 18:00 - 06-APR-2024 23:59. CREATED 29-MAR-2024 22:57)

03/181/KZMP

ZMP AIRSPACE UNMANNED ROCKET WI AN AREA DEFINED AS 2NM RADIUS OF
422324N0965737W (8.5NM NNE LCG) SFC-16000FT

(30-MAR-2024 12:00 - 30-MAR-2024 23:59. CREATED 28-MAR-2024 21:24)

03/150/KZMP

ZMP OBST WIND TURBINE FARM WI AN AREA DEFINED AS 6.2NM RADIUS OF
420210N0981432W (9.9NM SW 4V9) 2134FT (489FT AGL)

NOT LGTD

(25-MAR-2024 20:59 - 01-APR-2024 23:59. CREATED 25-MAR-2024 20:59)

W0215/24/KZMP

US DOD DAFIF; US DOD FLIP AP1B (PG 5-20); AR105W; ARIP (N4238
W9400) CHG FR FOD084013 TO FOD077013. ARCP (N4222 W9619) CHG FR
FOD261091 TO FOD255091. REST DATA UNCHG.

(25-MAR-2024 18:41 - 16-MAY-2024 00:01. CREATED 25-MAR-2024 18:41)

W0214/24/KZMP

US DOD DAFIF; US DOD FLIP AP1B (PG 5-20); AR105E; ARCP (N4222
W9619) CHG FR FOD261091 TO FOD255091. EXIT (N4238 W9400) CHG FR
FOD084013 TO FOD077013. REST DATA UNCHG.

(25-MAR-2024 18:39 - 16-MAY-2024 00:01. CREATED 25-MAR-2024 18:39)

03/082/KZMP

ZMP OBST WIND TURBINE FARM WI AN AREA DEFINED AS 5NM RADIUS OF
423624N0932011W (8.6NM SW HPT) 1640FT (400FT AGL) NOT LGTD

(15-MAR-2024 19:50 - 15-APR-2024 23:59. CREATED 15-MAR-2024 19:50)

03/053/KZMP

ZMP OBST WIND TURBINE (ASN UNKNOWN) 480031N0975551W (13NM NW 2L1) 1885FT
(325FT AGL) NOT LGTD

(10-MAR-2024 09:21 - 01-APR-2024 23:59. CREATED 10-MAR-2024 09:21)

03/050/KZMP

ZMP OBST WIND TURBINE FARM WI AN AREA DEFINED AS 2.65NM RADIUS OF
470724N1004201W (24.1NM N BIS) 2605FT (400FT AGL) NOT LGTD

(09-MAR-2024 07:04 - 09-APR-2024 07:03. CREATED 09-MAR-2024 07:05)

03/049/KZMP

ZMP OBST WIND TURBINE FARM WI AN AREA DEFINED AS 6.05NM RADIUS OF
470708N1003909W (24.1NM N BIS) 2529FT (400FT AGL) NOT LGTD

(09-MAR-2024 06:48 - 09-APR-2024 06:48. CREATED 09-MAR-2024 06:49)

TCC903C CYYZ-KMSP (30-Mar-2024) #1

03/019/KZMP

ZMP OBST WIND TURBINE FARM WI AN AREA DEFINED AS 2.32NM RADIUS OF 430351N0932653W (10.6NM SW MCW) 1678FT (499FT AGL) NOT LGTD
(04-MAR-2024 12:32 - 04-APR-2024 23:59. CREATED 04-MAR-2024 12:34)

03/007/KZMP

ZMP AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF 463323N0912422W (2.7NM SE Y77) SFC-800FT AGL DLY 1300-2359
(02-MAR-2024 13:00 - 01-APR-2024 23:59. CREATED 01-MAR-2024 14:56)

03/004/KZMP

ZMP AIRSPACE UAS WI AN AREA DEFINED AS 4NM RADIUS OF 463633N0910154W (5.1NM NW ASX) SFC-800FT AGL DLY 1300-2359
(02-MAR-2024 13:00 - 01-APR-2024 23:59. CREATED 01-MAR-2024 14:55)

03/002/KZMP

ZMP AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF 464005N0905307W (7.2NM NE ASX) SFC-800FT AGL DLY 1300-2359
(02-MAR-2024 13:00 - 01-APR-2024 23:59. CREATED 01-MAR-2024 14:54)

02/160/KZMP

ZMP OBST WIND TURBINE FARM WI AN AREA DEFINED AS 9NM RADIUS OF 424958N0955543W (12.5NM ENE LRJ) 1455FT (600FT AGL) NOT LGTD
(27-FEB-2024 17:36 - 30-JUN-2024 15:00. CREATED 27-FEB-2024 17:36)

4/6040/KZMP

ZMP AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE
REBROADCAST (ADS-R), TFC INFO SERVICE BCST (TIS-B), FLT INFO SERVICE
BCST (FIS-B) SERVICES MAY NOT BE AVBL WI AN AREA DEFINED AS 78NM
RADIUS OF 414925N0943322W.
AP AIRSPACE AFFECTED MAY INCLUDE ADU, AIO, CIN, CRZ, HNR, POH, SKI.
2000FT-6000FT
2402152230-2408192200EST
(PERM. CREATED 15-FEB-2024 22:38)

4/0638/KZMP

ZMP SD..ROUTE ZMP.
V148, V80 O'NEILL (ONL) VORTAC, NE R-039 TO TYNDA INT, SD DME
REQUIRED AT TYNDA.
MHE VOR R-165 UNUSABLE AT TYNDA.
(02-FEB-2024 14:46 - 02-FEB-2026 14:42 EST. CREATED 02-FEB-2024 14:46)

02/001/KZMP

ZMP OBST WIND TURBINE FARM WI AN AREA DEFINED AS 5NM RADIUS OF 430707N0980427W (18NM ENE AGZ) 2000FT (600FT AGL) NOT LGTD
(01-FEB-2024 00:10 - 31-MAR-2024 23:59. CREATED 01-FEB-2024 00:10)

4/1767/KZMP

ZMP SD..ROUTE ZMP.
J82 SIOUX FALLS (FSD) VORTAC, SD R-267 TO COP MEA 20000.
FSD VORTAC R-267 RESTRICTED.
(08-JAN-2024 22:32 - 09-JAN-2026 22:32 EST. CREATED 08-JAN-2024 22:32)

4/1766/KZMP

ZMP SD..ROUTE ZMP.
V120 SIOUX FALLS (FSD) VORTAC, SD R-092 TO COP MEA FROM 40 DME TO
54 DME 6600. MEA FROM 54 DME TO 82 DME 6800.
FSD VORTAC R-092 RESTRICTED BEYOND 40 DME.

TCC903C CYYZ-KMSP (30-Mar-2024) #1

(08-JAN-2024 22:32 - 09-JAN-2026 22:32 EST. CREATED 08-JAN-2024 22:32)

01/060/KZMP

ZMP AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF 422934N0940020W (8.45NM NW EBS) SFC-400FT AGL

(08-JAN-2024 16:39 - 08-APR-2024 19:26. CREATED 08-JAN-2024 16:42)

12/175/KZMP

ZMP OBST WIND TURBINE FARM WI AN AREA DEFINED AS 4.6NM RADIUS OF 450455N0975108W (11.8NM NW 8D7) UNKNOWN (489FT AGL) NOT LGTD

(29-DEC-2023 13:59 - 30-JUN-2024 23:59. CREATED 29-DEC-2023 13:59)

12/133/KZMP

ZMP OBST STACK (ASN UNKNOWN) 445128N0893000W (7NM NW AUW) 1684FT (500FT AGL) NOT LGTD

(21-DEC-2023 22:33 - 01-SEP-2024 23:59. CREATED 21-DEC-2023 22:33)

3/8119/KZMP

ZMP WI..ROUTE ZMP.

V129 EAU CLAIRE (EAU) VORTAC, WI R-176 TO NODINE (ODI) VORTAC, MN MEA 4700.

EAU VORTAC R-176 UNUSABLE BELOW 4700.

(20-DEC-2023 16:34 - 20-DEC-2025 16:34 EST. CREATED 20-DEC-2023 16:35)

3/8114/KZMP

ZMP WI..ROUTE ZMP.

V129 EAU CLAIRE (EAU) VORTAC, WI R-341 TO COP MEA 6000.

EAU VORTAC R-341 UNUSABLE BEYOND 40 NM BELOW 6000.

2312201634-2512201634EST

(PERM. CREATED 20-DEC-2023 16:35)

12/093/KZMP

ZMP OBST POWER LINES WI AN AREA DEFINED AS .1NM EITHER SIDE OF A LINE FM 401911.14N0945009.82W (.5NM S 78Y) TO 401910.99N0944946.23W (1NM SE 78Y) UNKNOWN (70FT AGL) NOT LGTD

(14-DEC-2023 19:54 - 15-APR-2024 23:59. CREATED 14-DEC-2023 19:54)

3/5850/KZMP

ZMP ROUTE ZMP.

V120 DUPREE (DPR) VOR/DME, SD TO PIERRE (PIR) VORTAC, SD MOCA 3800.

2312141432-2512141432EST

(PERM. CREATED 14-DEC-2023 14:34)

3/4671/KZMP

ZMP MI..ROUTE ZMP.

V133 ESCANABA (ESC) VOR/DME, MI R-341 TO SAWYER (SAW) VOR/DME, MI MEA 3000.

ESC VOR/DME R-341 RESTRICTED.

(01-SEP-2023 13:11 - 01-SEP-2025 13:07 EST. CREATED 01-SEP-2023 13:11)

08/326/KZMP

ZMP AIRSPACE UAS WI AN AREA DEFINED AS 480829N0971609W (9.6NM SE D06) TO 480836N0972327W (9.5NM S D06) TO 480736N0972917W (10.3NM SSW D06) TO 480514N0973522W (14.4NM SW D06) TO 481610N0995042W (9.8NM SE RUG) TO 483200N0994600W (8.3NM SE 2H9) TO 484600N0993600W (6.3NM S 06D) TO 485336N0992513W (7.4NM E 06D) TO 485439N0971530W (1.7NM S PMB) TO POINT OF ORIGIN SFC-FL280

(31-AUG-2023 18:51 - 01-SEP-2024 23:59. CREATED 31-AUG-2023 18:51)

TCC903C CYYZ-KMSP (30-Mar-2024) #1

08/325/KZMP

ZMP AIRSPACE UAS WI AN AREA DEFINED AS 485439N0971530W (2NM S PMB) TO 484942N0964014W (10NM NE HCO) TO 483722N0961709W (10NM NE 23D) TO 482554N0960458W (18.6NM NW 3G2) TO 480627N0955538W (10NM ENE TVF) TO 475746N0971617W (3.5NM W GFK) TO POINT OF ORIGIN 11000FT-FL180 (31-AUG-2023 18:50 - 01-SEP-2024 23:59. CREATED 31-AUG-2023 18:50)

06/251/KZMP

ZMP AIRSPACE RDO ALTIMETER UNREL WI MINNEAPOLIS ARTCC AIRSPACE SFC-5000FT AGL. AUTOLAND, HUD TO TOUCHDOWN, ENHANCED FLT VISION SYSTEMS TO TOUCHDOWN NOT AUTHORIZED EXC FOR RDO ALTIMETER TOLERANT ACFT AND ACFT USING APPROVED ALTERNATIVE METHODS OF COMPLIANCE. HEL OPS REQUIRING RDO ALTIMETER DATA TO INCLUDE OFFSHORE INSTRUMENT OPS, HOVER AUTOPILOT MODES, SAR AUTOPILOT MODES, AND CAT A/B/PERFORMANCE CLASS TKOF AND LDG NOT AUTHORIZED EXC FOR RDO ALTIMETER TOLERANT ROTORCRAFT AND ROTORCRAFT USING APPROVED ALTERNATIVE METHODS OF COMPLIANCE. DUE TO 5G C-BAND INTERFERENCE PLUS SEE AIRWORTHINESS DIRECTIVE 2023-10-02, 2023-11-07 AND DOMESTIC NOTICES (29-JUN-2023 04:01 - 29-JUN-2025 04:01. CREATED 27-JUN-2023 23:01)

3/8802/KZMP

ZMP MN..ROUTE ZMP.
V218 GRAND RAPIDS (GPZ) VOR/DME, MN R-172 TO GOPHER (GEP) VORTAC, MN R-352 MEA 10000.
GPZ VOR/DME R-172 UNUSABLE BELOW 10000 AND MOCA UNSAT AT 3000. GNSS MEA 5500.
(12-JUN-2023 13:45 - 12-JUN-2025 13:44 EST. CREATED 12-JUN-2023 13:45)

3/8338/KZMP

ZMP MN..ROUTE ZMP.
V13 WEMAN, MN TO MECNU, MN MEA 10000.
V13 WEMAN, MN MCA 10000 NORTHEASTBOUND.
2304281714-2504281714EST
(PERM. CREATED 28-APR-2023 17:15)

3/8209/KZMP

ZMP IA..ROUTE ZMP.
V172 WUNOT, IA TO LINDE, IA MOCA 3900.
2304281229-2504281229EST
(PERM. CREATED 28-APR-2023 12:29)

3/8255/KZMP

ZMP MN..ROUTE ZMP.
V430 UGACU, MN TO THIEF RIVER FALLS (TVF) VOR/DME, MN R-253 MEA 3000.
V430 THIEF RIVER FALLS (TVF) VOR/DME, MN R-114 TO ZALSO, MN MEA 3500.
2304071932-2504071932EST
(PERM. CREATED 07-APR-2023 19:32)

3/8254/KZMP

ZMP ND..ROUTE ZMP.
V430 CAREW, ND TO DEVILS LAKE (DVL) VOR/DME, ND R-269 MEA 4000.
V430 DEVILS LAKE (DVL) VOR/DME, ND R-090 TO BISCA, ND MEA 3500.
2304071932-2504071932EST
(PERM. CREATED 07-APR-2023 19:32)

TCC903C CYYZ-KMSP (30-Mar-2024) #1

3/9710/KZMP

ZMP MN..ROUTE ZMP.

V218 GRAND RAPIDS (GPZ) VOR/DME, MN R-356 TO SQEAK, MN MEA 9000.

GPZ VOR/DME R-356 UNUSABLE BELOW 9000.

(20-MAR-2023 16:05 - 20-MAR-2025 16:05 EST. CREATED 20-MAR-2023 16:05)

3/0850/KZMP

ZMP MN..ROUTE ZMP.

V71 BAYAF INT, SD TO COP MEA 6000.

PIR VORTAC MEA INCREASE SIGNAL STRENGTH.

(28-FEB-2023 20:12 - 28-FEB-2025 20:11 EST. CREATED 28-FEB-2023 20:12)

3/9765/KZMP

ZMP ROUTE ZMP ZDV.

V148, V80 NORTH PLATTE (LBF) VOR/DME, NE TO O'NEILL (ONL) VORTAC,
NE MEA 7000 EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH
GPS.

2302012004-2502012004EST

(PERM. CREATED 01-FEB-2023 20:04)

2/9214/KZMP

ZMP ROUTE ZMP.

V2 ALEXANDRIA (AXN) VOR/DME, MN TO TLBAT, MN MEA 6000.

2208301750-2409011749EST

(PERM. CREATED 30-AUG-2022 17:50)

2/4642/KZMP

ZMP MN..ROUTE ZMP.

V171 ROLAG, MN TO APRIW, MN NA EXCEPT FOR ACFT EQUIPPED WITH
SUITABLE RNAV SYSTEM WITH GPS.

AXN VOR/DME R-314 UNUSABLE BEYOND 48 NM.

(27-JUN-2022 14:27 - 27-JUN-2024 14:24 EST. CREATED 27-JUN-2022 14:27)

2/8518/KZMP

ZMP MI..ROUTE ZMP.

V413 IRONWOOD (IWD) VOR/DME, MI TO EAU CLAIRE (EAU) VORTAC, WI
CHANGE CHANGE-OVER POINT TO READ 45 NM FROM IWD AND 68 NM FROM EAU.

2206141439-2406141439EST

(PERM. CREATED 14-JUN-2022 14:41)

KZAU (CHICAGO FIR)

03/179/KZAU

ZAU AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF 405104N0891430W (12.2NM
SE C75) SFC-50FT AGL

(30-MAR-2024 13:00 - 31-MAR-2024 01:00. CREATED 29-MAR-2024 14:16)

03/177/KZAU

ZAU AIRSPACE UNMANNED ROCKET WI AN AREA DEFINED AS 1.5NM RADIUS OF
423735N0880940W (5NM N 49C) SFC-10000FT

(30-MAR-2024 14:00 - 30-MAR-2024 21:00. CREATED 29-MAR-2024 13:57)

4/4120/KZAU

ZAU WI..ROUTE ZAU.

V191, V63 OSHKOSH (OSH) VORTAC, WI R-165 TO CORIR INT, WI DME NOT
AVAILABLE AT CORIR INT.

TCC903C CYYZ-KMSP (30-Mar-2024) #1

OSH DME R-165 RESTRICTED.

(16-JAN-2024 19:20 - 15-JAN-2026 19:17 EST. CREATED 16-JAN-2024 19:21)

06/223/KZAU

ZAU AIRSPACE RDO ALTIMETER UNREL WI CHICAGO ARTCC
AIRSPACE SFC-5000FT AGL. AUTOLAND, HUD TO TOUCHDOWN, ENHANCED FLT
VISION SYSTEMS TO TOUCHDOWN NOT AUTHORIZED EXC FOR RDO ALTIMETER
TOLERANT ACFT AND ACFT USING APPROVED ALTERNATIVE METHODS OF
COMPLIANCE. HEL OPS REQUIRING RDO ALTIMETER DATA TO INCLUDE OFFSHORE
INSTRUMENT OPS, HOVER AUTOPILOT MODES, SAR AUTOPILOT MODES, AND CAT
A/B/PERFORMANCE CLASS TKOF AND LDG NOT AUTHORIZED EXC FOR RDO
ALTIMETER TOLERANT ROTORCRAFT AND ROTORCRAFT USING APPROVED
ALTERNATIVE METHODS OF COMPLIANCE. DUE TO 5G C-BAND INTERFERENCE
PLUS SEE AIRWORTHINESS DIRECTIVE 2023-10-02, 2023-11-07 AND DOMESTIC
NOTICES

(29-JUN-2023 04:01 - 29-JUN-2025 04:01. CREATED 27-JUN-2023 22:45)

3/4691/KZAU

ZAU ROUTE ZAU.

V30 SQUIB, MI TO PULLMAN (PMM) VOR/DME, MI NA EXCEPT FOR ACFT
EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.

PMM VOR UNUSABLE.

(20-APR-2023 12:53 - 20-APR-2025 12:53 EST. CREATED 20-APR-2023 12:54)

2/8179/KZAU

ZAU ROUTE ZAU.

V274 PULLMAN (PMM) VOR/DME, MI TO VICTORY (VIO) VOR/DME, MI NA
EXCEPT FOR AIRCRAFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.

PMM VOR UNUSABLE BEYOND 10 NM.

(24-OCT-2022 14:28 - 25-OCT-2024 14:28 EST. CREATED 24-OCT-2022 14:28)

2/8177/KZAU

ZAU ROUTE ZAU.

V84 PIVOT, MI TO PULLMAN (PMM) VOR/DME, MI NA EXCEPT FOR AIRCRAFT
EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.

PMM VOR UNUSABLE BEYOND 10 NM.

(24-OCT-2022 14:27 - 25-OCT-2024 14:27 EST. CREATED 24-OCT-2022 14:27)

2/8842/KZAU

ZAU ROUTE ZAU.

V526 MUSKY, MI TO MAPER, MI MEA 4500.

2208121541-2408121541EST

(PERM. CREATED 12-AUG-2022 15:41)